



1 forward cabin - 1 Toilets, 2 Aft cabins - 1 Toilets

GENERAL SPECIFICATIONS

• L.O.A	12.15 m
• Hull length	11.82 m
• L.W.L.	10.35 m
• Beam	3.91 m
• Deep draught (min)	1.90 m
• Air draught (max)	17.70 m
• Light displacement	8 260 kg
• Fuel capacity	200 l
• Freshwater capacity	360 l
• Engine power	40 HP

ARCHITECT / DESIGNERS

- Naval Architect: Berret Racoupeau Yacht Design
- Interior design: Nauta Design

EC CERTIFICATE

- Category A - 8 persons

STANDARD SAIL LAYOUT AND AREA

• Mainsail (classic)	38.50 m ²
• Genoa (140 %)	39.90 m ²

STANDARD EQUIPMENT

CONSTRUCTION

- Design made following European Directive requirements and according to EC certification
- Monolithic hull design in polyester
- Monolithic structural counter moulding laminated and bonded to the hull
- Deck in balsa and glass fibre sandwich covered in «diamond point» type non-slip surface
- Deck hull join screwed, stuck and banded with 1 solid wood bulwark
- Cast iron keel fixed with bolts and stainless steel backing plates
- Hung rudder with stainless steel stock
- White coloured hull - Hull decorated in pearl grey

DECK EQUIPMENT

RIGGING

- Standard mast 9/10 electro-polished aluminium installed on the deck, 2 level(s) of advanced cross trees
- Anodised aluminium boom
- Discontinuous stainless steel standing rigging
- 2 Backstays with turnbuckles
- Rigid boom vang
- Genoa furling system with drum on the deck
- Mainsail sheet track
- 2 genoa tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets 2 fast reefing ropes, 1 manual reef
- 8 Jammers
- 6 Jamming cleats

WINCHES

- 2 Self-tailing genoa sheet winches (H46.2 STC)
- 2 Self tailing manoeuvring winches (H40.2 STC)
- 2 Winch handles aluminium
- 2 Winch handle boxes

SAILS

- Furling genoa with UV protective strip
- Semi full batten written sail with slider and roller slider
- System Lazy Jack and Easy bag in Perle colour

MOORING -ANCHORING

- Self-bailing chain locker - Clench bolt - Hatch cover
- Single roller stainless steel bow fitting with offset roller
- 6 Aluminium mooring cleats - Stainless steel deck line protection

SAFETY ON DECK

- 1 Open stainless steel forward pulpit - Step
- 2 Stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- 1 Flag pole socket
- Double guardrail and stainless steel stanchions - Opening to port and to starboard in guardrail

COCKPIT

- Self-draining cockpit
- 2 Cockpit locker
- 1 Lockers under helm seat To starboard
- 1 Wet locker between tiller seats
- 1 Gas locker with 2 bottles under port tiller seat
- Natural solid wood slatted cockpit benches
- 2 Steering wheel consoles: Stainless steel steering wheels - 900 mm diameter - leather covered - rudder systems on partition - metal cable transmission system - Stainless steel guard rail - navigation instrument stand (optional instruments)
- 1 Deck hole for access to tiller system
- 1 Emergency tiller
- 2 Steering compass on binacle
- Engine throttle and control panel to starboard
- Polyester cockpit table - 2 flaps - glove boxes - central bottle holder - bottle holder on reverse side - Stainless steel guard rail - 12 V socket - lamp with shade
- 2 Companionway door on solid wood hinges - Sliding hatch made of PMMA

AFT TRANSOM

- Vertical opening access door assisted by gas piston
- Natural solid wood decking on sun deck
- 1 Cased life-raft locker in upper stern - 2 doors
- 1 Stainless steel swimming ladder - solid wood steps

- 1 Shower cold water

INTERIOR

- Woodwork Alpi Mahogany
- Parquet type laminated floors
- Cloth hull spar ceilings in saloon and cabins

COMPANIONWAY

- Headroom: 1.90 m
- Wooden saloon companionway with moulded wood hanging steps with non-slip surface
- 2 Stainless steel handrails

Version 1 Forward cabin - 1 Toilets, 2 Aft cabins- 1 Toilets

FORWARD CABIN

- Headroom: 1.87 m
- Central double bed (2.00 m x 1.75 m x 0.44 m) - Marine mattress
- Hanging locker - Glove box - Cubby hole locker - Storage drawer - Locker storage
- 2 Opening hatches with blind / Mosquito net
- 2 Hull portholes with curtain

FORE WASHROOM

- Headroom: 1.89 m
- Access through forward cabin
- Washroom moulded in one piece to be watertight
- Manual marine toilet
- Washbasin - shower mixer tap hot / cold water
- 1 Mirror
- Toilet accessories: Glass holder - Towel rail - Bin - Paper dispenser
- Cupboard and cubby hole
- 1 Opening deck hatch with shutter / Mosquito net

GALLEY TO PORT

- Headroom: 1.93 m
- Kitchen along the hull
- White laminated worktop
- 1 Stainless steel sink 2 rectangular basins Stainless steel - 1 Mixer tap cold water / hot under pressure
- 1 Gas cooker 2 hobs - stainless steel oven, on mountings - 1 Stainless steel protection handrail
- 1 170 liter ice box, top opening 12 V Refrigeration unit
- Fitted cupboards and closed cubbyholes (Shelf Bin - tea towel holder)
- 1 cutlery drawer
- Cubbyhole with stainless steel beading
- 1 Hull porthole with curtain
- 1 Fixed deck house side window with concertina blind
- 1 Porthole opening onto coaming in side window

CHART TABLE TO PORT

- Table with flap - Glove box - Storage - Shelf- Moulded wood beading
- Helmsman seat with cushion
- Pivoting electrical panel enabling access to electrical connections
- Navigation instrument panel (without instruments)
- 1 White light fitting / Red
- 1 Porthole opening onto coaming in side window

SALOON TO STARBOARD

- Headroom: 1.95 m
- U shaped saloon bench - double density foam
- Central bench seat with storage locker, on pantograph
- 4 Matching decorative cushions
- Saloon table in only 1 piece Varnished wooden top - veneering - Aluminium legs
- 1 Stainless steel handrail on aft washroom partition
- Cubby hole lockers - Storage space along the hull - Storage under bench seats
- Cubbyhole with stainless steel beading
- 2 Panoramic deck house windows with concertina blinds
- 1 Hull porthole with curtain
- 1 Fixed deck house side window with concertina blind
- 1 Porthole opening onto coaming in side window
- 1 Opening deck hatch with shutter / Mosquito net

STARBOARD AFT HEAD COMPARTMENT

- Headroom: 1.89 m
- Access through saloon and the starboard aft cabin
- Washroom moulded in one piece to be watertight
- Separate shower - 1 shower mixer tap hot / cold water
- 1 Manual marine toilet
- 1 Rigid holding tank 80 L
- Wooden handrail(s) - 1 Mixing tap hot water / cold water
- 2 Mirrors
- Toilet accessories: Glass holder - Towel rail - Bin - Paper dispenser
- Cupboard and closed cubbyholes
- 1 Porthole opening onto coaming in side window

AFT CABINS PORT AND STARBOARD

2 Symmetrical cabins each one consisting of:

- Headroom: 1.89 m
- Double bed (2.00 m x 1.53 m x 1.33 m) - Marine mattress
- Cupboard - Hanging locker - Closed cubbyholes
- 1 Hull porthole with curtain
- 1 Opening porthole with curtain
- 1 Cockpit porthole with curtain
- 1 Opening deck hatch with shutter / Mosquito net

ENGINE

- Engine Yanmar Diesel 40 hp
- Engine control - Control panel in cockpit
- Engine compartment: Soundproofing foam - Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator 12 V / 80 Ah
- 1 Rotation moulded diesel tank 200 L (under starboard aft berth) - Electronic gauge - Low level alarm - 1 Deck filler
- Filters: Sea water - Diesel - Decanter
- Stainless steel shaft line - Polyester guard moulded into hull
- Fixed three blade propeller
- 1 Engine access through companionway (opening with 2 gas pistons) - 2 Engine access through aft cabins

ELECTRICITY

- 12 V circuit
- 1 service batteries (140 Ah) - 1 Engine battery (110 Ah)
- 1 Charge divider
- 12 V Electrical panel (Fuses - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning - Water warning)
- 1 12 V Sockets
- Lighting: Halogen ceiling lights - Reading lights - White/red light fitting - Fluorescent lamp White
- Navigation lights: 1 navigation light(s) fore and aft - 1 Engine navigation light / Cross tree light forward of mast - 1 Mooring light on masthead
- Wire runs for options cables

PLUMBING

- 2 Roto moulded freshwater tanks (200 l Starboard aft cabin - 160 l Forward cabin) - 2 Deck fillers - Separate tank filling - Tank selection with ¼ by-pass valves
- Pressurised electric water pump - Accumulator tank - Inline filter
- 25 L Electric water heater (engine run)
- 1 Rigid holding tank 80 L
- Delayed shower draining and electric shower drain pumps
- 1 Electric bilge pump - 1 Manual bilge pump
- 1 Electric ice box drain pump

GAS

- 2 Gas bottle boxes in the cockpit
- Pressure reducing valve and safety tap

PACK ELECTRONIC RAYMARINE

- PC interface
- Swivel base on reverse side of table cockpit
- Multifunction screen C90 colour 9" (GPS - chart plotter - Cartography Navionics Silver Europe included - Chart plotter - supplied without chart)
- Pilot SPX ST70 - LS RV2 + Integrated gyrocompass - Control console

PACK EASY DOCKING

- Additional bow roller
- White PVC steering wheel covers
- Windlass control in cockpit with chain counter
- Mooring kit (Anchor Britany 16 kg, 28 M of 10 mm chain, 40 M 18 mm rope)
- 8 Mooring ropes - 6 Fenders
- Autopilot remote control - Repeater Smartcontroller RAYMARINE
- Radar - radome only RAYMARINE
- VHF NAVICOM DT-650 MOD

- Steel blue colour hull - Hull decorated in pearl grey
- Anodized mast furling with sail
- Windex
- 2 flag halyards
- Easy Sail (Genoa traveller adjustment from cockpit - Clutches on genoa sheet foot blocks - Backstay adjustments - Winch handle Harken Speedgrip - Winch handle box additional - Rope cutter)
- 3 retractable blades propeller
- Bow thruster
- Solid wood deck plain
- Perle deck house hood
- Cockpit Bimini top Perle
- PVC cockpit cushions
- Additional seating in saloon (2 cabin version)
- Double berth in saloon
- Swivel foldaway saloon table
- Crockery kit marked Bénéteau
- Porthole mosquito nets
- Heating
- Player DVD - MP3
- Additional rigid sewage tank (3 cabin version)
- Electric toilet

TRIM LEVEL

2 Displays (colors) TFT ST70 RAYMARINE (Loch, Speedometer, Depth sounder, Anemometer wind indicator)		■
1000 W Electric windlass upward / Companionway - Remote control		■
Cockpit shower spray hot / cold water		■
PMMA shower partition in aft washroom		■
Radio CD player / MP3 - 2 Interior loudspeakers - 2 Outside loudspeakers		■
Indirect lighting in saloon		■
Full 220 V system (Inside sockets - 25 Amperes battery charger - Shore power socket)		■
1 140 amperes additional service batteries		■
Releasable fore-stay chain-plate		■
1 Port electric manoeuvring winch H40.2STCEH		■
Cockpit sole natural solid wood		■
Polyester/wood cockpit table - White PVC protective cover		■
Leather covering on companionway and aft toilet closet partition handrails		■
Mirror on forward partition of fore cabin - Closet mirror (3 cabin version)		■
12 V refrigeration unit in 70 L icebox (2 cabin version)		■
Sea water foot pump		■
Stainless steel 2 hob oven/grill cooker on deluxe mounting		■
40 Amp battery charger instead of 25 Amp charger		■

- . 1 Hervidor con silbato
- . 1 Cafetera
- . 1 vajilla blanco melamina para 8 personas
- . 1 GARMIN GPS ayuda (opción 20€ / week)
- . 3 alarmas del hombre al agua NAVICOM MOB (opción 20€ / week)
- . 1 Combinado inalámbrico RT-650(opción 20€ / week)
- . 1 Carta NAVIONICS Platinum+ XL3 CF (opción 40€ / week)
- . 2 Espejos de señales
- . 1 transportador cras
- . 1 Compas de puntas lira
- . 1 Compas de marcación IRIS 50
- . 10 Cartas de navegación
- . 1 Receptor radio con BLU, funda de protección
- . 1 Bocina de niebla
- . 1 Botiquines zona 1 y 2
- . 1 Gafas de emergencia solas taKit pyrotechnie (> 6 miles)
- . 1 Radiobaliza personal ACR aquaLink GPS 406
- . 1 Barómetro electrónico VION
- . 1 prismáticos con su bolsita 7x50
- . 1 Mando distancia piloto Raymarine (opción 50€ / week)
- . 1 Bandera del código internacional.
- . 1 Bandera Española náutica de recreo 40x60 cm
- . 5 Enchufes mechero estándar
- . 1 Multi toma mechero
- . 2 Extintores de polvo ABC 2KG
- . 8 Chalecos con disparo automático y arneses (recambio gas 50€)
- . 1 Chaleco especial niños
- . 8 Linternas flash solas con Chalecos con disparo automático (intercambio 30€)
- . 9 Espiches madera
- . 1 linterna
- . 1 dinghy engine 2.6CV (100 € / week)

- . 1 Bola negra
- . 1 Cono negro
- . 1 Guindola
- . 1 Cizalla para obenques.
- . 1 Escandallo 30m
- . 2 Bicheros telescópicos de alu
- . 15m mangueras de agua con racor
- . 8 Defensas con cabo 2m
- . 1 Tenders: Jet Marivent 240
- . 1 Hinchador de pie 6 litros
- . 1 Hinchador eléctrico 12v (opción 20€/ week)
- . 1 Motor 3.5cv 4 tempos
- . 1 Deposito plástico 25 litros + manguera + racor Motor
- . 1 Embudo anti-balanceo
- . 1 Soporte motor para balcón de popa.
- . 1 ancla Rezon Rockfish 1,3kg con 10m cadenas plus 10m de cabo
- . 1 Achicador plástico 1 litro
- . 1 Cubo con ojillo 10 litros cabo 3m
- . 3 Manivelas de winchs speed grip Harken
- . 5 Tapas para aparatos exteriores Raymarine
- . 1 timon de ayuda
- . 2 Fundas de timones de ruedas en PVC blanco
- . 1 Funda para cubrir la mesa exterior
- . 1 Reflector y detectores radares
- . 1 Balsas salvavidas PLASTIMO 8 places en bolsa
- . 1 Rescue buoy PLASTIMO
- . 1 Mando con cable molinetes de ancla
- . 1 molinete de ancla
- . 1 Capota de cubierta Perle
- . 1 Bimini de bañera Perle
- . 1 Alargador electrico 30m con 2 enchouffés